



INFORMATION NOTE ABOUT PRODUCT SAFETY

REPSOL HEALTHCARE HLD02G

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial name	REPSOL HEALTHCARE HLD02G
Chemical name	Polyethylene.
Synonyms	N/A
CAS	N/A
EC (EINECS)	N/A
Index No (annex VI Regulation EC No 1272/2008)	N/A
Registration Number	N/A
Authoritation Number	N/A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Consult technical information.

1.3 Details of the supplier of the information note about product safety

Company	REPSOL QUÍMICA, S.A.
Address	Méndez Álvaro, 44 28045 - MADRID, Spain
Phone	+34 917538000/+34 917538100
Fax	+34 902303145
e-mail address	SDSChemicals@repsol.com

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture	2.2 Label elements	
CLASSIFICATION Reg.(CE)1272/2008(CLP)	LABELLING	
N/A	Pictograms N/A	
	Signal word	N/A

INFORMATION NOTE ABOUT PRODUCT SAFETY

	Hazard statements	N/A
	Supplemental information	N/A
	Precautionary statements	N/A

- Supplementary elements which must be displayed on the labels

N/A

- Special packaging requirements

Containers which must be provided with a child safety seal:

Not applicable

Tactile hazard warning:

Not applicable

2.3 Other hazards

Results of the assessment of PBT and vPvB in the product, in accordance with the criteria set out in Annex XIII of REACH, can be found in Section 12.5 of this information note about product safety.

Please refer to Sections 5, 6 and 7 of this information note about product safety for information on other dangers, different from classification dangers but which may contribute to the overall hazards of the product.

SECTION 3. Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Low-density polyethylene with a degree of purity over 99%, with additives.

Dangerous components Reg. (CE) 1272/2008 (CLP)	Concentration (%)	Hazard statements
N/A		

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation: Move the person to fresh air.

INFORMATION NOTE ABOUT PRODUCT SAFETY

Administer oxygen if necessary.

Ingestion/Aspiration: It is not frequent.
Intestinal absorption is very low.

Contact skin: In case of burns from a melted product, quickly cool the material with abundant water.

Do not remove the solidified product off burn without medical assistance.
See a doctor and treat as a normal burn.

Contact eyes: In case of burns from a melted product, quickly cool the material with abundant water.

Do not remove the solidified product off burn without medical assistance.
See a doctor and treat as a normal burn.

In case of contact with eyes wash with plenty of water if necessary, keeping your eyes open for at least 15 minutes.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: Powder low-density Polyethylene may cause irritation to throat and nose.
Melted polymer vapors may cause irritation to the respiratory tract.
LC50: 12g/m³/30min (inhalation-mouse) (Polyethylene).

Ingestion/Aspiration: This type of exposure is easy to prevent and infrequent.
Not toxic if swallowed.

Contact skin: Contact with molten product may cause burns.

Contact eyes: Vapors from melted product and powdery material may be irritating to the eyes.
Contact with molten product may cause burns.

4.3. Indication of any immediate medical attention and special treatment needed

Seek medical care.

SECTION 5. Firefighting measures

5.1. Extinguishing media

INFORMATION NOTE ABOUT PRODUCT SAFETY

Suitable extinguishing media: AFFF foam, dry chemicals powder, CO₂, and water spray.

Unsuitable extinguishing media: Water applied directly in jet stream may disperse the product.

5.2. Special hazards arising from the substance or mixture

Combustion products: Complete combustion: CO₂, NO_x and H₂O. Incomplete combustion: CO, soot, aldehydes, ketones, hydrocarbons and volatile fatty acids.

Special measures: N/A

Special hazards: Molten polymer may spread fire. Fire may produce irritating gases.

5.3. Advice for firefighters:

Clothing and gloves resistant to fire and SCBA.

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with melted product and inhalation of vapors.
Prevent inhalation of the polymer powder.
Keep unnecessary people away.

Personal protection: Use protective mask in presence of polymer powder.
In case of high concentrations of vapors from melted product, respiratory protective mask is recommended.
Wear safety goggles and waterproof gloves to avoid direct contact with melted product.

6.2. Environmental precautions

Avoid spillage into sewers and public waterways.
Avoid product dispersion.

6.3. Methods and material for containment and cleaning up

To prevent slipping and sliding, spills should be collected with shovels or other means and placed into suitable containers.

6.4. Reference to other sections

Section 8 contains more detailed advice on personal protective equipment and section 13 on waste disposal.

SECTION 7. Handling and storage

INFORMATION NOTE ABOUT PRODUCT SAFETY

7.1. Precautions for safe handling

General precautions: Do not smoke, eat, or drink while handling product.
Wear appropriate protective equipment in the areas of handling molten product.
Remove all sources of ignition in the area of product handling and storage.
Transport equipment should be properly grounded (static charge accumulation by friction).
Ensure safe systems of work.

Specific conditions: Good local exhaust ventilation system.
Protective mask in the presence of the polymer powder and molten product vapors.

7.2. Conditions for safe storage, including any incompatibilities

Temperature and decomposition products: The product is stable under normal conditions.

Dangerous reactions: N/A

Storage conditions: Store at room temperature and protect it from sunlight, in cool and well-ventilated places, in properly labeled and sealed containers.
Properly labeled and sealed containers.
Protect against fire, and eliminate all potential sources of ignition.
Polymer has a marked tendency to build up static charge when transferred by pneumatic transport, so proper grounding should be ensured.
Never weld in storage areas without proper precautions.

Incompatible materials: Fluorides. Fuming sulfuric and nitric acids and other oxidizing agents attack it slowly. It should not be used for aggressive liquids in the presence of tension.

7.3. Specific end use(s)

See section 1 or exposure scenario

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

N/A

DNEL N/A

PNEC N/A

8.2 Exposure controls

Local appropriate ventilation. Do not smoke and avoid all ignition sources. Avoid prolonged contact and inhalation of vapors.

Individual protection measures, such as personal protective equipment

INFORMATION NOTE ABOUT PRODUCT SAFETY

Respiratory protection: Respiratory protective mask when melted product vapors or dust are present.

Skin protection: Gloves, appropriate footwear and clothing.

Eye/face protection: Safety goggles to avoid splashes when handling melted product.

Other protective equipment: Showers and eye-washers in the work area.

Specific hygiene measures: Good work practices and the adoption of good personal hygiene measures reduce unnecessary exposures. Showers should be used. Use soap and no other solvents. Use skin reconditioning cream after work.

Medical Conditions Aggravated by Exposure: N/A

Environmental exposure controls:

Product should not reach the environment through wastewater or sewage. Measures to take in case of accidental release can be found in Section 6 of this information note about product safety.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Solid (pellets).

Odour: Odorless.

Odour threshold: N/A (*)

Colour: Natural.

pH: N/A (*)

Melting point/freezing point: 110°C-115°C

Initial boiling point and boiling range: N/A (*)

Flash point: 350 °C (Polyethylene)

Evaporation rate: N/A (*)

Flammability (solid, gas): N/A (*)

Upper/lower flammability or explosive limits: N/A (*)

Vapour pressure: N/A (*)

Vapour density: N/A (*)

Density: 920 kg/m³

Solubility(ies): At temperatures near to melting point the product is soluble in benzene, xylene, toluene, trichloroethylene, tetrachloromethane (Polyethylene).

Partition coefficient: n-octanol/water: N/A (*)

Auto-ignition temperature: N/A (*)

Decomposition temperature: N/A (*)

Viscosity: N/A (*)

Explosive properties: N/A (*)

Oxidising properties: N/A (*)

9.2 Other information

Water solubility: Insoluble

INFORMATION NOTE ABOUT PRODUCT SAFETY

Heat of combustion: 11000 cal/g

(*) No data available at the time of writing or because it is not applicable due to the nature and danger of the product.

SECTION 10. Stability and reactivity

10.1. Reactivity: N/A

10.2. Chemical stability: Stable material at room temperature. PEBD has a high resistance to water and aqueous solutions of organic salts, as well as to diluted acids and alkalis. Below 60°C PEBD is insoluble in organic solvents, but it absorbs hydrocarbons and their chlorinated derivatives.

10.3. Possibility of hazardous reactions: Fluorides. Fuming sulfuric acid, nitric acid and other oxidizing agents can attack it slowly, particularly at high temperatures. It should not be used for aggressive liquids in the presence of tension.

10.4. Conditions to avoid: N/A

10.5. Incompatible materials: N/A

10.6. Hazardous decomposition products: Decomposition products: At temperatures over 300°C the product decomposes emitting toxic and irritating fumes and occasionally small amounts of acrolein and formaldehyde may appear. Complete combustion: CO₂, and H₂O. Incomplete combustion: CO, soot, aldehydes, ketones, hydrocarbons and volatile fatty acids.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

The provided toxicological information results from the application of Annexes VII to XI of Regulation 1907/2006 (REACH).

Acute toxicity: N/A

Skin corrosion/irritation: N/A

Serious eye damage/irritation: N/A

Respiratory or skin sensitisation: N/A

Germ cell mutagenicity: N/A

Carcinogenicity: N/A

INFORMATION NOTE ABOUT PRODUCT SAFETY

Product rating corresponds to the comparison of the results from the toxicological studies with the criteria set out in Regulation (EC) No 1272/2008 for CMR, categories 1A and 1B.

Reproductive toxicity: N/A

STOT-single exposure: N/A

STOT-repeated exposure: N/A

Aspiration hazard: N/A

SECTION 12. Ecological information

- 12.1. Toxicity:** No data on toxicity to aquatic organisms.
- 12.2. Persistence and degradability:** Low density polyethylene has insoluble long chain hydrocarbons. This causes it not to biodegrade and have a high persistence.
- 12.3. Bioaccumulative potential:** There are no data.
- 12.4. Mobility in soil:** There are no data.
- 12.5. Results of PBT and vPvB assessment:** This mixture contains no substance considered to be PBT or vPvB.
- 12.6. Other adverse effects:** N/A

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Disposal: Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with fume treatment. Recycle material when possible.

Handling: Labeled and sealed containers.

Provisions: Establishments and companies which recover, dispose, store, transport or handle waste should comply with Dir. 2008/98/EC on waste, or other local, national or community provisions.

SECTION 14. Transport information

14.1. UN number: N/A

14.2. UN proper shipping name:

INFORMATION NOTE ABOUT PRODUCT SAFETY

N/A

14.3. Hazard classes for transportation: N/A

14.4. Packing group

ADR/RID: N/A

IATA-DGR: N/A

IMDG: N/A

14.5. Environmental hazards

ADR/RID: N/A

IATA-DGR: N/A

IMDG: N/A

14.6. Special precautions for user

Stable at room temperature during transport. To avoid spilling, transport in secure, properly sealed containers.

14.7. Transport in bulk in accordance with appendix II of the Marpol agreement 73/78 and the IBC code

No category assigned for the IBC code.

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 2015/830.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Regulation (EC) No 1272/2008 of the European Parliament and the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 concerning Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

European Agreement concerning the international carriage of dangerous goods by road (ADR).

Regulation on the international transport of dangerous goods on the railway. (RID)

International maritime code of dangerous goods. (IMDG)

International Air Transport Association (IATA) regulation pertaining to air shipment.

International Bulk Chemical Code (IMSBC Code), MARPOL 73/78.

.

Commission Regulation Other hazards

INFORMATION NOTE ABOUT PRODUCT SAFETY

Polyethylene (CAS: 9002-88-4) is listed in TSCA Chemical Inventory (EPA, June 1993).
Article 19g(5) Federal Water Management Act (WHG) of 17 May 1999 (amended in July 2005): Our products are classified into the Water Hazard Class WGK 1.
Hazardous Substances Ordinance (GefStoffV) regarding the safe storage of chemicals:
Storage Class 11 (Technical Rule TRGS 510).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16. Other information

Glossary

MSDS: Material safety data sheet
CAS: Chemical Abstract Service
IARC: International Agency for Research on Cancer
ACGIH: American Conference of Governmental Industrial Hygienists.
TLV: Threshold Limit Value
TWA: Time Weighted Average
STEL: Short-term Exposure Level
REL: Recommendable Exposure Limit
PEL: Permissible Exposure Limit
INSHT: Instituto Nacional de Seguridad e Higiene en el Trabajo.
VLA-ED: Environmental limit value - daily exposure
VLA-EC: Limit environmental value - short exposure
DNEL/DMEL: Derived no-effect level / Derivation of minimal effects levels
PNEC: Predicted No Effect Concentration
LD50: Lethal Dose Medium
LC50: Lethal Concentration Medium
EC50: Effective Concentration Medium
IC50: Inhibitory Concentration Medium
BOD: Biological Oxygen Demand.
NOAEL: No observable adverse effect level
NOEL: No observed effect level
NOAEC: No observed adverse effect concentration
NOEC: No observed effect concentration
N/A: Not applicable
|| - | : Changes from the last revision

Data Bases consulted

EINECS: European Inventory of Existing Commercial Substances.
TSCA: Toxic Substances Control Act, US Environmental Protection Agency.
HSDB: US National Library of Medicine.
RTECS: US Dept. of Health & Human Services.

Hazard Class-and-Category shown in the document

N/A: Not applicable



INFORMATION NOTE ABOUT PRODUCT SAFETY

Changes from the last revision: Section 2, 3, 7, 9, 14, 15, 16.

Purchasing companies have an obligation to ensure that their employees are properly trained on the safe handling and use of the product in accordance with the guidelines contained in this information note about product safety.

Furthermore, companies purchasing this product are required to inform their employees, and individuals who could manipulate or use it within their facilities, about all indications included in the INFORMATION NOTE ABOUT PRODUCT SAFETY, in particular those relating to the product's risks to the health and safety of people and to the environment.

Safety Information Sheet/Fact Sheet prepared in compliance with Article 32 of Regulation (EC) 1907/2006 (REACH), in order to communicate information down the supply chain for substances on their own or in mixtures for which a safety data sheet is not required in the SDS format. Therefore, this document does not constitute a Material Safety Data Sheet (MSDS/SDS) according to Article 31 of REACH, given that for the purposes of REACH, it is not compulsory to provide a MSDS/SDS for the substance or mixture covered under this Safety Information Sheet/Fact Sheet.

The information contained in this Safety Information/Fact Sheet has been prepared by Repsol in accordance with the best available information based on technical data believed to be reliable at the time of issue. Recipients rely on the information at their own risk. Consequently, no aspect of this document should be construed as a recommendation on the use of any substance or mixture, nor as any use recommendation that may be in conflict with existing patents that may cover or protect any substance, mixture or product, or its use. This document does not constitute any license granting, and consequently the recipient is not granted freedom of operation under any patent owned by Repsol (the issuer of this document) or third parties.

All information, and where appropriate, statements or suggestions contained in this Safety Information Sheet/Fact Sheet are exempt from warranty, express or implied, regarding the accuracy of the information, and the risk associated with the use of the same including marketing, fitness for a particular purpose and for any use, or that the use of such information will not infringe any patent. All implied warranties of merchantability or fitness for any purpose are expressly excluded and consequently Repsol assumes no responsibility for the results obtained or for any damage (including damage to people, property and environment) that may arise, in whole or in part, from the use made by the recipient of the information contained therein.